
2021 LINE UP





Double layer of **high quality European Ceramic Fiber** that completely surrounds the oven and resistant up to 2000°F.

ALFA OVENS



Alfa's unique baffled airflow system provides more circulation of flame and heat allowing the oven to reach higher temps much faster.



3 cm of Alfa refractory brick, made 100% in house provides better heat absorption and retention than the competition.

Commercial Rock Wool insulation is less dense and looser fiber and only resistant up to 1100°F.

OTHER BRANDS



Generic flue system allows the heat and flame to escape the oven chamber immediately requiring more time to reach desired temperatures.



Commercial grade mix comparable to dense lava stone demands longer time for heat absorption and retention.



ONE, the smallest oven in the category! The real **Italian portable pizza oven.** Compact and fast to use with the highest Italian professional quality.

ONE





FXONE-GRAM & BF-ONE-RAM

Technical Details

• Heating time: 10 minutes

• Recommended fuel: Wood or lump charcoal

• Max oven temperature: 1,000°F +

• Chimney dimensions: 5.0"

• Cooking Floor W x D: 23.6" x 15.7"

• Weight: 110 lbs

Mini Peel and Wood Holder included

GAS MODEL is COMING SOON

• Recommended fuel: LPG gas or Natural Gas

Max oven temperature: 1,000°F +
Heat Capacity: 30,000 BTU/hr
Chimney dimensions: 5.0"

• Cooking Floor W x D: 19.6" x 15.7"

• Weight 120 lbs Mini Peel included


Base has stainless-steel front panel, black handle and 4 professional casters with brakes. Weighs as little as 55 lbs and is available in Copper or Silver black.


| Model | Description | Finish |
|------------|---------------|--------------|
| FXONE-LRAM | Wood Top Only | Copper |
| FXONE-GRAM | Gas Top Only | Copper |
| BF-ONE-RAM | Base | Copper |
| BF-ONE-SBL | Base | Silver Black |

| Din | nensions | |
|-----|----------|-------|
| Α | 29" | |
| В | 22" | |
| С | 41" | |
| D | 19" | |
| Е | 5" | |
| F | 8" | |
| | | D G ® |

| - | | |
|----------|----|--|
| - | | |
| | E | |
| F | | |
| | | |
| | | |
| | // | |
| | | |
| | | |
| <u> </u> | В | |

| Dimensions | | |
|------------|-------|--|
| Α | 34.6" | |
| В | 33.6" | |
| С | 17.2" | |
| D | 28.2" | |
| Е | 31.9" | |
| F | 18.8" | |
| G | 3″ | |
| Н | 7.8" | |
| I | 4.7" | |







CIAO_m

Performs very well in small spaces



FXCM-LGRI-T-V2

Technical Details

• Heating time: 10-20 minutes

• Recommended fuel: Wood or lump charcoal

• Max oven temperature: 1,000°F +

• Chimney dimensions: 5.9"

• Cooking Floor W x D: 27.6" x 15.7"

Cooking Floor Height: 35"
Oven Mouth width: 19.7"
Weight: Top only 176 lbs



| Model | Description | Finish |
|----------------|-------------|-----------------|
| FXCM-LGIA-T-V2 | Top Only | Fire Yellow |
| FXCM-LGRI-T-V2 | Top Only | Silver Gray |
| BF-CIAOM-GR | Leg Kit | Silver Gray |
| BF-CIAOM | Leg Kit | Stainless Steel |

| Dim | ensions | |
|-----|---------|-------|
| Α | 35.9" | +F+ |
| В | 25.0" | |
| С | 46.5" | c |
| D | 19.7" | O É H |
| Е | 8.1" | |
| F | 5.9" | G G |
| G | 10.2" | |
| Н | 18.9" | A |

| Dim | ensions | |
|-----|---------|-------|
| Α | 46.4" | +F+ |
| В | 33.5" | |
| С | 71.2" | i H |
| D | 19.7″ | c E H |
| Е | 8.1" | |
| F | 5.9" | |
| G | 35.0" | |
| Н | 18.9" | |
| | | |



5 MINUTI

The Original



FX5MIN-LRAM-T

Technical Details

• Heating time: 10-20 minutes

• Recommended fuel: Wood or lump charcoal

• Max oven temperature: 1,000°F +

• Chimney dimensions: 5.9"

• Cooking Floor W x D: 23.6" x 19.7"

Cooking Floor Height: 31.5"
Oven Mouth width: 18.0"
Weight: Top only 160 lbs


Base has a shelf for wood storage, stainless-steel front panel, black handle and 4 professional casters with brakes. Weighs as little as 64 lbs and is available in

Copper or Silver black.



FX5MIN-LRAM-T & BF-5MINUTI-RAM

| Model | Description | Finish |
|----------------|-------------|--------------|
| FX5MIN-LRAM-T | Top Only | Copper |
| BF-5MINUTI-RAM | Base | Copper |
| BF-5MINUTI-SBL | Base | Silver Black |




| Din | nensions | | | |
|-----|----------|---|---|----------|
| Α | 34.6" | 1 | | <u> </u> |
| В | 35.9" | | ↔ G | |
| С | 25" | | 0 | |
| D | 28.2" | A | | |
| Е | 33.5" | | 000 | |
| F | 21.2" | | | |
| G | 3″ | U | | |
| Н | 15.5" | - | В ← | |
| I | 4.7" | | | |



4 PIZZE

The worldwide bestseller

The design and performance of our 4 Pizze has everyone talking. It's our best seller, worldwide. The lateral shelves and peel hooks make it practical and simple. The 4 Pizze is ideal for anyone who loves wood cooking.



• Heating time: 10-20 minutes

• Recommended fuel: Wood or lump charcoal

• Max oven temperature:1,000°F +

• Chimney dimensions: 5.9"

• Cooking Floor W x D: 31.5" x 23.6"

• Cooking Floor Height: 36.0"

• Oven Mouth width: 26.7"

• Weight: Top only 264 lbs - with base 308 lbs





FX4P-LRAM-T




FX4PIZ-LRAM


| Model | Description | Finish |
|-------------|----------------|--------|
| FX4P-LRAM-T | Top Only | Copper |
| FX4PIZ-LRAM | Oven with Base | Copper |





| Dimensions | | |
|------------|-------|--|
| Α | 61.0" | |
| В | 34.4" | |
| С | 79.5″ | |
| D | 26.7" | |
| Е | 8.6" | |
| F 5.9" | | |
| G | 36.0" | |
| H 10.8" | | |







Brio at last!

Here's the new Alfa Forni's 2-pizza gas-fired oven. Brio is the oven that heats up so quicky that you can eat your first pizza in just 30 minutes.

BRIO



FXBRIO-GROA-U

Technical Details

- Heating time: 20 minutes
- Recommended fuel: LPG gas or Natural Gas
- Max oven temperature: 1,000°F +
- Heat Capacity: 71,000 BTU/hr
- Chimney dimensions: 5.9"
- Cooking Floor W x D: 27.5" x 19.7"
- Oven Floor Area: 3.77 ft²
- Weight: Top only 215 lbs


Base has a stainless-steel front panel to hide LPG tank, black handle and 4 professional casters with brakes. Weighs as little as 70 lbs and is available in Silver black.



FXBRIO-GROA-U & BF-BRIO-SBL

| Model | Description | Finish |
|---------------|--------------|--------------|
| FXBRIO-GROA-U | Gas Top Only | Antique Red |
| BF-BRIO-SBL | Base | Silver Black |

| Dimensions | | | |
|------------|--------|---|-------|
| Α | 39.25" | N | 9.3" |
| В | 28.6" | 0 | 16.2" |
| С | 43.9" | Р | 12.4" |
| D | 22.6" | Q | 19.6" |
| Е | 5.9" | R | 34" |
| F | 21.3" | S | 2.7" |
| G | 19.6" | Т | 19.7" |
| Н | 7″ | U | 6.6" |
| L | 16.8" | V | 2.3" |
| М | 13.2" | Z | 30.2" |



| Din | nensions | | |
|-----|----------|--------------|----------------------|
| Α | 34.6" | ← - □ | ← ⊞ → ← □ → |
| В | 41.5" | | - |
| С | 25" | | |
| D | 28.2" | A | |
| Е | 39.2" | | |
| F | 26.8" | | |
| G | 3″ | T T | 17 |
| Н | 15.7" | B + | C → |
| I | 4.7" | | |



STONE



FXSTONE-L

Stone Oven Technical Details

• Heating time: 30-40 minutes

• Recommended fuel: LPG gas or Natural Gas

• Max oven temperature: 1,000°F +

STONE-L

Heat Capacity: 83,000 BTU/hrChimney dimensions: 7.0"

• Cooking Floor W x D: 31.5" x 23.6"

• Oven Floor Area: 5.16 ft²

• Weight 312 lbs

STONE-M

• Heat Capacity: 70,000 BTU/hr

• Chimney dimensions: 5.1"


 \bullet Cooking Floor W x D: 27.6" x 15.7"

• Oven Floor Area: 3.0 ft²


• Weight 276 lbs

| Model | Description | Finish |
|-----------|-----------------|--------|
| FXSTONE-M | Medium Gas Oven | Copper |
| FXSTONE-L | Large Gas Oven | Copper |

| Dimensions | | |
|------------|-------|--|
| Α | 43.4" | |
| В | 32.9" | |
| С | 59.4" | |
| D | 27.7″ | |
| Е | 5.9" | |
| F | 15.6" | |



| Dimensions | | |
|------------|-------|--|
| Α | 39.4" | |
| В | 25" | |
| С | 48.4" | |
| D | 26.8" | |
| Е | 5.1" | |
| F | 10.2" | |
| | | |



FXSTONE-L

FXSTONE-M



ALLEGRO

High performance, big size





FXALLE-LROA

Technical Details

• Heating time: 20 minutes

• Recommended fuel: Wood or lump charcoal

• Max oven temperature: 1,000°F +

• Chimney dimensions: 7.0"


• Cooking Floor W x D: 39.4" x 27.6"

• Cooking Floor Height: 37.4"


• Oven Mouth width: 23.2"

• Weight: Top only 308 lbs - with base 485 lbs

| Model | Description | Finish |
|---------------|----------------|-------------|
| FXALLE-LROA-T | Top Only | Antique Red |
| FXALLE-LGIA-T | Top Only | Fire Yellow |
| FXALLE-LROA | Oven with Base | Antique Red |
| FXALLE-LGIA | Oven with Base | Fire Yellow |



| Din | nensions | |
|-----|----------|-----|
| Α | 46.4" | |
| В | 40.0" | |
| С | 88.6" | |
| D | 23.2" | |
| Е | 7.4" | |
| F | 7.0" | |
| G | 37.4" | D |
| Н | 27.5″ | |
| | | , - |





CUPOLINO

ALFA REFRACTORY SERIES

Cuplino is the wood fired oven you can build and customize. Size 60 is composed of 2 pieces, sizes 70 and 80 are composed of 3 pieces. Cupolino is easy to assemble. It is light, strong and hand crafted using the best refractory materials available. Cupolino is the perfect wood fired oven for DIY lovers. It's small size means that it heats up very quickly, it is ready in only 45 minutes. It also comes with a steel arched door with double handle. Not UL certified for indoor installation.





Shown Installed With Custom Tiles

Technical Details

Available in three sizes 60, 70, 80

Heating time: 45 minutesPizza capacity: 2, 3, 4

Bread capacity: 8.0 lbs, 13.2 lbs, 17.0 lbs
Recommended fuel: Wood or lump charcoal

• Max oven temperature: 1,000°F +

• Oven Mouth Height: 9.4"


Oven Floor Area: 3.0 ft², 4.0 ft², 5.4 ft²
Weight 198 lbs, 286 lbs, 319 lbs

NOT FOR USE "AS IS" OUT OF THE CRATE

Cupolino is designed to be used as the insert for custom brick or stone masoned outdoor oven projects.

| Model | Description |
|-----------|--------------|
| FRCUP-L60 | 60cm / 23.6" |
| FRCUP-L70 | 70cm / 27.5" |
| FRCUP-L80 | 80cm / 31.5" |

| Dimensions | | | | |
|------------|-------|-------|-------|--|
| Α | 27.5" | 31.5" | 35.4" | |
| В | 33.4" | 35.4" | 40.9" | |
| С | 15.7" | 17.7" | 19.7" | |
| D | 18.1" | 18.5″ | 18.1" | |
| Е | 9.4" | 9.4" | 9.4" | |
| F | 23.6" | 27.5" | 31.5" | |





TABLE

Multi-functional base and Prep Station

The world's most versatile oven now has a cooking station to compliment it. A multi-functional table that provides an area for preparation and cooking. It is designed for convenience as well as aesthetics. High quality details provide you with a premium surface you need to prepare your meals!



Technical Details

- 304 stainless steel 2mm working top
- Peel Holder
- Bottle Opener
- 3 stainless steel hooks for tools
- Aluminum black handle
- 4 Professional wheels with 2 brakes
- Compatible with: ONE, Ciao, 5 Minuti, 4 Pizze, Stone and Allegro.
- Available in three sizes:

40"W x 35.2"H x 31.5"D 51"W x 35.2"H x 35.4"D

63"W x 35.2"H x 35.4"D

Check out the video link below to see just how easy the assembly is.

https://vimeo.com/295796645

| Model | Description | Finish |
|-------------|-------------|-----------------|
| ACTAVO-100* | 40"W Table | Stainless Steel |
| ACTAVO-130 | 51"W Table | Stainless Steel |
| ACTAVO-160 | 63"W Table | Stainless Steel |

*does not have bottle opener or hooks









Cooking Tools



Technical Details

- Pizza peel to put the pizza in the oven, with its wooden handle and stainless steel structure, guarantees robustness, cleanliness and easy-handling. Its rounded edge makes putting pizza in the oven a snap.
- Pizza turner/round peel is lightweight, sturdy and easy to handle.
- Ember Rake allows you to prepare the oven floor and to move the ash, embers and burning wood to the side.
- Brush is equipped with brass bristles which make for effective cleaning and more importantly, preserving the refractory floor.
- The tools are available in two sizes. 36" and 48"

| | Model | Description |
|---|--------------|---------------------------------|
| | AFISETP90 | 4 Piece Peel Set - 36" |
| | AFISETP125 | 4 Piece Peel Set - 48" |
| | AFI2PKSET90 | 2 Pack Pizza Turner/Brush - 36" |
| | AFI2PKSET120 | 2 Pack Pizza Turner/Brush - 48" |
| | AC-PALA90 | Pizza Peel - 36" |
| | AC-PALINO90 | Pizza Turner - 36" |
| | AC-MUOVIB90 | Ember Rake - 36" |
| | AC-SPAZZ90 | Brush - 36" |
| | AC-PALA120 | Pizza Peel - 48" |
| | AC-PALINO120 | Pizza Turner - 48" |
| | AC-MUOVIB120 | Ember Rake - 48" |
| | AC-SPAZZ120 | Brush - 48" |
| | AFIPOPALE-RA | Vela Peel Holder - Copper |
| _ | · · · · | LIC II ONE O' O EM |

36" is recommended for the ONE, Ciao & 5 Minuti 48" is recommended for all other ovens





Accessories



Technical Details

- The Pizzaiolo Kit includes all the tools necessary for making pizza: peel, round peel, ember rake, oven brush, dough ball proofing box, laser thermometer, wheel cutter, dough cutter, apron, chopping board, heat-resistant glove and cookbook. All the tools in the kit are made in Italy and certified for food use. The wooden tools are entirely handmade and selected according to high quality standards. Available in 2 sizes. 36" and 48"
- The BBQ500 easily turns your oven into a BBQ with four heat sources.
- The Wood Holder is made to hold the cooking wood and embers laterally, allowing for air flow and optimal fire/ heat and keeps the cooking floor clean. Available in 2 sizes.



Cooking wood



Firestarter

| Model | Description |
|------------------|---------------------|
| KITPIZ-90 | Kit Pizzaiolo - 36" |
| KITPIZ-125 | Kit Pizzaiolo - 48" |
| AC-BBQ500-3 | BBQ 500 D37 |
| AC-BOX | Proofing Box |
| HYB-01-005 | Wood Holder L37 |
| PLP-01-600 | Wood Holder L59 |
| OAKWOOD | Cooking Wood |
| APPLEWOOD | Cooking Wood |
| CHERRYWOOD | Cooking Wood |
| CHERRYWOOD-SMALL | Cooking Wood* |
| QWIKWIK | Firestarter |

*small pieces for a better fit in ONE oven

HYB-01-005 is recommended for the Ciao & 5 Minuti PLP-01-600 is recommended for all other ovens



Covers



4 Pizze with base cover

Technical Details

 The form-fitting oven cover is specially designed to protect your oven from the elements when not in use.
 This cloth is made of an innovative material which is waterproof, breathable (prevents condensation), thermal and UV ray resistant.

| Model | Description |
|------------|------------------------------|
| CVR-ONE | Cover for ONE Top Only |
| CVR-CIAO-T | Cover for Ciao M Top Only |
| CVR-5MIN-T | Cover for 5 Minapi Only |
| CVR-4PIZ-T | Cover for 4 Pizze Top Only |
| CVR-STN-M | Cover for Stone M Top Only |
| CVR-STN-L | Cover for Stone L Top Only |
| CVR-ALLE-T | Cover for Allegro Top Only |
| CVR-CIAO | Cover for Ciao M with base |
| CVR-5MIN | Cover for 5 Minuti with base |
| CVR-4PIZ | Cover for 4 Pizze with base |
| CVR-ALLE | Cover for Allegro with base |

